

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	5253	receive adj buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 13:59
L2	1645	receive adj buffer same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:01
L3	8	(receive adj buffer) near3 separate near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:02
L4	9	(receive adj buffer) near3 relay	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:05
L5	32	separate adj receiv\$3 adj buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:12
L7	84	receiv\$3 adj buffer near3 separate	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 14:13
S1	6062210	multi or plurality or parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:19
S2	41357	S1 near2 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:31

S3	10685	memory adj map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:20
S4	1095	S2 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:21
S5	15481	S2 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:21
S6	636	S5 and S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:21
S7	954	arimilli.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:21
S8	198	arimilli.in. and mesi	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:21
S9	65271	S1 near2 processor or multiprocessor\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:34
S10	1557	S9 and S3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:32

S11	27091	S9 same memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:35
S12	984	S11 and S10	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:33
S13	184	S12 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:03
S14	19	S7 and S12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:48
S15	0	S14 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 15:48
S16	290	S7 and table	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:11
S17	208	S16 and multiprocessor\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:11
S18	232	S16 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:13

S19	231	S18 and memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:13
S20	224	S19 and (read or write)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:13
S21	25	S20 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:16
S22	159	S20 and (relay or crosskey\$ or switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:16
S23	25	S22 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:28
S24	634	crossbar\$ near2 memory	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:21
S25	18	S23 and MESI	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:33
S26	0	processor\$ same memor% and (memory adj map) and (router or switch or crossbar\$ or relay) and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:42

S27	0	processor\$ same memor% and ((memory adj map) and (router or switch or crossbar\$ or relay) and threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:43
S28	1241	((memory adj map) and (router or switch or crossbar\$ or relay) and threshold)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:43
S29	0	((memory adj map) and (router or switch or crossbar\$ or relay) and threshold) and (processor\$ same memor%)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:44
S30	0	(memory adj map) and (router or switch or crossbar\$ or relay) and (processor\$ same memor%)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:44
S31	1	processor\$ same memor%	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:44
S32	2	((memory adj map) and (router or switch or crossbar\$ or relay) and threshold) and (procesor\$ same memor\$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/10 16:44
S33	703	(718/105).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/11 15:40
S34	231	S33 and threshold	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 15:46
S35	0	S33 and threshold and (send near3 (slower or lower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 08:36

S36	55	threshold same (send near3 (slower or lower))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/11 15:47
S37	31667	((index or buffer or relay or router or memory) near3 (busy or full))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 08:23
S38	10	S37 same (send near2 direct\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 08:27
S39	6066228	multi or plurality or parallel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 08:27
S40	19592	S39 adj processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 08:27
S41	44498	S40 or multiprocessor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 08:28
S42	287	S41 and (traffic adj control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 08:31
S43	16	S41 and ((traffic adj control) same directly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/08/12 08:31
S44	703	(718/105).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/08/12 08:36

S45	1	S44 and threshold and (send near3 (direct))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 08:36
S46	1	S44 and threshold and (send near3 (direct or bypass))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 08:37
S47	308	S44 and (full or busy)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 08:37
S50	9	S44 and (send near2 directly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 08:39
S51	115	(full or busy) same (send near2 directly)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 08:58
S52	378	((memory or index or buffer or relay) near2 (full or busy)) same (bypass or skip)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:04
S53	2284	interprocessor and communication	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:05
S55	1935	S53 and direct\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:05

S58	252	S55 and (memory adj (map or translation))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/08/12 10:08
-----	-----	---	---	----	----	------------------